EMU MINI – FRONT AND REAR MUDGUARD ASSEMBLY

Front Mudguard:

Instructions:

- Locate the front mudguard, long bolt, 2 washers and nut.
- Slide the mudguard between the wheel and fork so the brackets are either side of the fork. In order to do this, either remove the wheel completely or deflate the tyre to allow space to slide the mudguard through (you may need to bend one bracket slightly). Short end to the front of the bicycle, long end to the rear.

EMU MINI – FRONT AND REAR MUDGUARD ASSEMBLY

Front Mudguard:

Instructions:

- Using the bolt and first washer, slide the bolt through the light bracket, mudguard bracket then through the hole at the top of the fork leg.
- Take the nut and second washer and tighten at the rear. Ensure the light is positioned correctly, then tighten fully and securely.

EMU MINI – FRONT AND REAR MUDGUARD ASSEMBLY

Rear Mudguard:

Instructions:

- Locate the rear mudguard which will be resting on the rear wheel, 4 small bolts and 4 washers.

EMU MINI – FRONT AND REAR MUDGUARD ASSEMBLY

Rear Mudguard:



Instructions:

- Locate the 2 holes on either side of the rear dropout.
- Align the stays attached to the mudguard against these holes and use the 4 small bolts and 4 washers to attach.

EMU MINI – FRONT AND REAR MUDGUARD ASSEMBLY

Rear Mudguard:



Instructions:

- Ensure you tighten each bolt a little at a time until fully secured. This will ensure the mudguard remains centred.

EMU MINI – FRONT AND REAR MUDGUARD ASSEMBLY

Rear Mudguard:

Instructions:

- Rear mudguard fully assembled and attached in correct position onto the bike.